03

MAY 1 1 2007

U.S. Patent Application No. 09/833,202 Amendment dated May 11, 2007 Response to Office Action of February 12, 2007

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Previously presented) The fuel cell of claim 17, wherein said active layer has a thickness of 10 microns or less in said gas diffusion electrode or counter-electrode or both.
- 2. (Withdrawn) The fuel cell of claim 1, wherein said solid electrolyte membrane comprises at least one modified carbon product, wherein said modified carbon product comprises a carbon product having attached at least one organic group.
- 3. (Previously presented) The fuel cell of claim 17, wherein said gas diffusion electrode and gas diffusion counter-electrode each comprise a blocking layer and said active layer.
- 4. (Previously presented) The fuel cell of claim 3, wherein said blocking layer comprises at least one modified carbon product, wherein said modified carbon product comprises a carbon product having attached at least one organic group.
- 5. (Previously presented) The fuel cell of claim 3, wherein said active layer has a thickness of from 2 microns to about 5 microns.
- 6. (Previously presented) The fuel cell of claim 3, wherein said active layer further comprises a metal catalyst.
- 7. (Original) The fuel cell of claim 3, wherein said active layer has no fluoropolymer binder present.
- 8. (Previously presented) The fuel cell of claim 1 wherein said solid electrolyte membrane comprises a fluoropolymer.

U.S. Patent Application No. 09/833,202 Amendment dated May 11, 2007 Response to Office Action of February 12, 2007

5404281721

05/11/2007

14:31

- 9. (Withdrawn) A fuel cell comprising a gas diffusion electrode, a gas diffusion counter-electrode, a solid electrolyte membrane located between the electrode and counter-electrode, wherein said solid electrolyte membrane comprises at least one modified carbon product, wherein said modified carbon product comprises a carbon product having attached at least one organic group.
 - 10. (Original) The fuel cell of claim 1, wherein said organic group is -C₆H₄SO₃.
- 11. (Withdrawn) A method to reduce the thickness of a solid electrolyte membrane comprising forming said electrolyte membrane with a modified carbon product, wherein said modified carbon product comprises a carbon product having attached at least one organic group.
- 12. (Withdrawn) A method for increasing catalyst accessibility in an electrode comprising forming an active layer with a modified carbon product in the absence of a fluoropolymer binder, wherein said modified carbon product comprises a carbon product having attached at least one organic group.
- 13. (Withdrawn) The method of claim 12, further comprising the deposition of a catalytic material on said modified carbon product.
 - 14. (Canceled)
- 15. (Withdrawn) The method of claim 11, wherein said organic group is a proton conducting group, an electron conducting group, or both.
- 16. (Withdrawn) The method of claim 12, wherein said organic group is a proton conducting group, an electron conducting group, or both.
- 17. (Currently amended) A fuel cell comprising a gas diffusion electrode having an active layer, a gas diffusion counter-electrode, a solid electrolyte membrane located between the electrode and counter-electrode, and wherein said active layer comprising a carbon support that

05/11/2007 14:31 5404281721 KILYK BOWERSOX PLLC PAGE 05

U.S. Patent Application No. 09/833,202 Amendment dated May 11, 2007 Response to Office Action of February 12, 2007

comprises at least one modified carbon product, wherein said modified carbon product comprises a carbon product having attached at least one organic group that is proton-conducting and catalyst particles, wherein said catalyst particles are attached or absorbed onto the modified carbon product.

- 18. (Canceled)
- 19. (Previously presented) The fuel cell of claim 17, wherein said catalyst particles comprise Pt.
- 20. (Previously presented) The fuel cell of claim 17, wherein said active layer has a thickness of from about 2 microns to about 5 microns.
 - 21. (Canceled)
- 22. (Previously presented) The fuel cell of claim 17, wherein said active layer is formed directly on the solid electrolyte membrane.
 - 23. (Canceled)
- 24. (Currently amended) The fuel cell of claim 21 17, wherein said catalyst particles that are attached or adsorbed onto the modified carbon product is a catalyzed treated carbon product.
- 25. (Previously presented) The fuel cell of claim 24, wherein said catalyzed treated carbon product is partially or fully hydrophobic.
- 26. (Previously presented) The fuel cell of claim 17, wherein said modified carbon product is hydrophobic.
- 27. (Previously presented) The fuel cell of claim 17, wherein said modified carbon product further comprises hydrophobic groups.
 - 28. (Previously presented) The fuel cell of claim 17, wherein said active layer further

U.S. Patent Application No. 09/833,202 Amendment dated May 11, 2007 Response to Office Action of February 12, 2007

comprises a second modified carbon product having attached hydrophobic organic groups.